

## Non-Oncology Therapy Plans

Introduction **Amb Infusion #1** Amb Infusion #2 Amb Infusion #3 Amb Infusion #4 JHDMR Infusion #1 JHDMR Infusion #2 JHDMR Infusion #3

JHDMR Infusion #4 Specimen Collection

[Add a new order](#) [Cancel](#) [Sign Plan](#) [Next](#) [Edit Interval](#) [Actions](#)

Plan Not Signed Show:  Order Details

	Interval	Duration	Due
--	----------	----------	-----

### Darbepoetin (ARANESP), epoetin alfa (RETACRIT) Not Signed

Nursing Orders

Monitor Every visit Every visit [Move Up](#)

Labs

Complete Blood Count (CBC) w/o Diff Every 4 weeks 1 time this week [Move Up](#)

! Poct Hemoglobin, Whole Blood Every visit Every visit [Move Up](#)

Medication Orders

Care order/instruction Once 1/1 remaining Wed 5/3/2023 [Move Up](#)

darbepoetin (ARANESP) 200 mcg/0.4 mL syringe ! Unavailable [Move Up](#)

epoetin alfa-epbx (RETACRIT) 10,000 unit/mL injection ! Unavailable [Move Up](#)

Orders for Scheduling

! Infusion Visit 30 Every visit Every visit [Move Up](#)

[Sign Plan](#) [Edit Interval](#)

[Close](#)

[Previous](#) [Next](#)

## Non-Oncology Therapy Plans

Introduction **Amb Infusion #1** Amb Infusion #2 Amb Infusion #3 Amb Infusion #4 JHDMR Infusion #1 JHDMR Infusion #2 JHDMR Infusion #3

JHDMR Infusion #4 Specimen Collection

Complete Blood Count (CBC) w/o Diff Every 4 weeks 1 time this week [Move Up](#)

! Poct Hemoglobin, Whole Blood Every visit Every visit [Move Up](#)

Medication Orders

Care order/instruction Once 1/1 remaining Wed 5/3/2023 [Move Up](#)

darbepoetin (ARANESP) 200 mcg/0.4 mL syringe ! Unavailable [Move Up](#)

### epoetin alfa-epbx (RETACRIT) 10,000 unit/mL injection

**Order Schedule** Which treatment days need this order?

Group with protocol:

Category:

Interval:

Minimum separation:  days

Defer until:

Duration:  Until discontinued

treatments

Until

# on-Oncology Therapy Plans

Introduction   **Amb Infusion #1**   Amb Infusion #2   Amb Infusion #3   Amb Infusion #4   JHDMR Infusion #1   JHDMR Infusion #2   JHDMR Infusion #3  
JHDMR Infusion #4   Specimen Collection

**Dose:** [!] [!] [?]   1,000 Units   2,000 Units   3,000 Units   4,000 Units   5,000 Units   6,000 Units  
7,000 Units   8,000 Units   9,000 Units   10,000 Units

**Route:** Subcutane[?]   Intravenous   **Subcutaneous**

**Frequency:** Once [?]

**Select scheduling option:**

Starting: [ ]   Today   Tomorrow   At: [ ]

-Or-

Offset: 0   Minutes   **Hours**

**Starting at treatment start time**

**Indications:** [!] [?]

- anemia due to renal failure
- chemotherapy-induced anemia
- zidovudine-induced anemia
- anemia of prematurity
- reduction of allogeneic blood transfusion in surgery

Indications (Free Text): [!] [?]

Admin. Inst.: [+ Add Administration Instructions](#)

Priority: [?]

**Accept**

**Cancel**

# Non-Oncology Therapy Plans

Introduction **Amb Infusion #1** Amb Infusion #2 Amb Infusion #3 Amb Infusion #4 JHDMR Infusion #1 JHDMR Infusion #2 JHDMR Infusion #3  
JHDMR Infusion #4 Specimen Collection

**Order Schedule** Which treatment days need this order?

Group with protocol: Darbepoetin (ARANE) [🔍]

Category: Medication Orders [🔍]

Interval: [🔍] [!]

Minimum separation: [📅] days

Defer until: [📅]

Duration:  Until discontinued  
 [📅] treatments  
 Until [📅]

**Order Details** How should the order be given on those days?

Order Inst.: The use of erythropoiesis-stimulating agents (ESAs) may lead to a shorter overall survival and/or increase risk of progression or recurrence in patients wit.....

Reference Links: 1. Micromedex

[!]  
Dose: [!]  
[!]  
25 mcg 40 mcg 60 mcg 100 mcg 150 mcg 200 mcg 300 mcg 500 mcg

Route: Subcutanec [🔍] **Subcutaneous**

Frequency: Once [🔍] **Once**

Select scheduling option:

Starting: [📅] Today Tomorrow At: [📅]

-Or-

Offset: 0 Minutes **Hours**

# Non-Oncology Therapy Plans

Introduction **Amb Infusion #1** Amb Infusion #2 Amb Infusion #3 Amb Infusion #4 JHDMR Infusion #1 JHDMR Infusion #2 JHDMR Infusion #3  
JHDMR Infusion #4 Specimen Collection

Order Inst.: The use of erythropoiesis-stimulating agents (ESAs) may lead to a shorter overall survival and/or increase risk of progression or recurrence in patients wit.....

Reference Links: 1. Micromedex

[!]  
Dose: [!]  
[!]  
25 mcg 40 mcg 60 mcg 100 mcg 150 mcg 200 mcg 300 mcg 500 mcg

Route: Subcutanec [🔍] **Subcutaneous**

Frequency: Once [🔍] **Once**

Select scheduling option:

Starting: [📅] Today Tomorrow At: [📅]

-Or-

Offset: 0 Minutes **Hours**

**Starting at treatment start time**

[!]  
Indications: [🔍] [!]

anemia due to renal failure  chemotherapy-induced anemia

Indications (Free Text): [🔍] [!]

Admin. Inst.: + Add Administration Instructions

Priority: [🔍]

